

DHP MEDITECH

Precision That Performs Globally





About us

DHP Meditech has built a strong reputation by delivering exceptional service to its customers. We understand that requirements can change at any time, and we are always ready to respond quickly and efficiently to meet your needs. At DHP Meditech, we take pride in manufacturing and exporting high-quality surgical instruments crafted from premium-grade steel, ensuring corrosion resistance, easy sterilization, durability, and long-lasting performance.

Our Mission:

At DHP Meditech, we design, manufacture, and export precision surgical instruments, ensuring quality, innovation, compliance, and trusted global partnerships while supporting healthcare professionals worldwide.



Our Vision:

To become a globally trusted leader in surgical instrument manufacturing, recognized for precision, innovation, and uncompromising quality—enhancing healthcare outcomes across the world.

INFUSION



SAFETY IV CANNULA (CATHETER) with automatic activation (spring loaded)



FEATURES :

NEEDLE :

Siliconized, Ultra Sharp, Stainless Steel, Back-cut Japanese technology Needle to perform smooth and atraumatic venipuncture.

ERGONOMIC AUTO ACTIVATION MECHANISM :

Activated by a simple button press, Needle is auto retracted and locked inside safety barrel.

CATHETER :

Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER :

Large FB chamber allow quick visualisation for successful veni-puncture.

NEEDLE COVER :

Transparent Needle cover to prevent accidental damage to needle and catheter.

OPTION AVAILABLE :

FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Packing colour coded MK.P. | Sterilahon propethly/Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER) without wings and without injection port



Ensuring healthcare worker safety with fail proof needle locking mechanism




Designed for ease of grip and use



Large flashback chamber for easy flashback detection

Ultra Sharp Universal Bevel







Radio Opaque Lining*

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
14G	2.1	32	270	50/500
16G	1.6	32	200	50/500
18G	1.3	32	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500
26G	0.6	19	15	50/500

SAFETY IV CANNULA (CATHETER) with wings and injection port



FEATURES :

- Passive safety device for protection from needle stick injury.
- Needle sharp tip is locked with a non operable metal clip.
- The metal clip is designed to enclose needle sharp tip after the needle is with-drawn hence preventing healthcare professionals from the risk of accidental needle stick injury.
- Colored wing with suturable holes.

OPTION AVAILABLE :

FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Sterilized/propethly/Single use.

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER) with wings and injection port



FEATURES :

- Passive safety device for protection from needle stick injury.
- Needle sharp tip is locked inside a plastic edge after use.
- The metal clip is designed to enclose needle sharp tip after the needle is with-drawn hence preventing healthcare professionals from the risk of accidental needle stick injury.
- Colored wing with suturable holes.

OPTION AVAILABLE :




FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Packing colour coded M.K.P. | Flip port cap | Sterilahn/pyrogenic/Single use.

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	126	50/500
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER) without wings and injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, back-cut Japanese technology needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth surface for minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

SAFETY CASE : Ensuring healthcare worker safety with fail-proof needle locking mechanism protecting healthcare workers from accidental, possible fatal stick injury.

OPTION AVAILABLE :

FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Sterilized-pyrogenic/Single use.


TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	126	50/500
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER)

with wings and without injection port



Safety edge

Flash back chamber



After use, Needle is locked inside safety edge,
Keeping healthcare worker safe from sharps injury

Ultra Sharp Universal Bevel



Radio Opaque Lining*

FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, back-cut Japanese technology needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth surface for minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

SAFETY CASE : Ensuring healthcare worker safety with fail-proof needle locking mechanism protecting healthcare workers from accidental, possible fatal stick injury.

OPTION AVAILABLE :



FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Sterilized-pyrogenic/Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	125	50/500
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER) with wings and injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Multi facet, Stainless steel, back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth surface for minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

SAFETY CASE : Ensuring healthcare worker safety with fail-proof needle locking mechanism protecting healthcare workers from accidental, possible fatal stick injury.

OPTION AVAILABLE :




FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle
Sterilahon-pyrogenic/Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	125	50/500
18G	1.3	45	93	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

SAFETY IV CANNULA (CATHETER) with small wings and without injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, back-cut Japanese technology needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth surface for minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

SAFETY CASE : Ensuring healthcare worker safety with fail-proof needle locking mechanism protecting healthcare workers from accidental, possible fatal stick injury.

OPTION AVAILABLE :


FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle | Thumb Controller | Peeling colour coded M.K.P. | Sterilized/pyrogenic/Single use.

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
24G	0.7	19	23	100/1000
26G	0.6	19	15	100/1000

IV CANNULA (CATHETER) with small wings and without injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, back-cut needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Siliconized with proprietary technology ensuring smooth flow for minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualisation for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

FLEXIBLE WINGS : The flexible wings facilitate easy gripping and reduce the contact of skin allowing more secure fixation.

OPTION AVAILABLE :

FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle |




Thumb Controller | Peeling colour coded M.K.P. | Sterilized-pyrogenic/Single use

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) ml/min.	Box Qty. (Inner/Outer)
24G	0.7	19	23	100/1000
26G	0.6	19	15	100/1000

IV CANNULA (CATHETER) with integrated three-way stopcock



FEATURES:

NEEDLE : Siliconized, Ultra Sharp, Multi-facet, Stainless Steel, back-cut, needle exp clinician to perform easy and painless venipuncture.

CATHETER: Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER: Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

THREE-WAY BODY : The three-way body provides flexibility to paramedic staff to administer multiple medicine at a time.




OPTION AVAILABLE : PE/PPTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter
Packing colour coded M.K.P. | Safinkhon-proxgenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (ML/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	125	50/500
18G	1.3	45	90	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

IV CANNULA (CATHETER) with wings and injection port



FEATURES :

ULTRA SHARP SILICONIZED SS NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, back-cut needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

FLEXIBLE WINGS : The flexible wings provides easy grasping and follows the contours of site allowing more secure fixation.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.





OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Flip port cap | Medical paper/Tyvek | Hydrophobic filter | Quick flash back | Safinkhon-proxgenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (ML/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	100/1000
16G	1.8	45	200	100/1000
17G	1.5	45	125	100/1000
18G	1.3	45	90	100/1000
20G	1.1	32	60	100/1000
22G	0.9	25	36	100/1000
24G	0.7	19	23	100/1000
26G	0.6	19	15	100/1000

IV CANNULA (CATHETER) with wings and without injection port



FEATURES :

ULTRA SHARP SILICONIZED SS NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, Back-cut, Japanese technology needle to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

FLEXIBLE WINGS : The flexible wings provides easy gripping and follows the contours of site allowing more secure fixation.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.



OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Flip port cap | Medical paper/Tyvek | Hydrophobic filter | Quick flash back | Safinkhon-proxenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (ML/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	100/1000
16G	1.8	45	200	100/1000
17G	1.5	45	125	100/1000
18G	1.3	45	90	100/1000
20G	1.1	32	60	100/1000
22G	0.9	25	36	100/1000
24G	0.7	19	23	100/1000
26G	0.6	19	15	100/1000

IV CANNULA (CATHETER) with small wings and without injection port



FEATURES :

NEEDLE : Silicized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Silicized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

FLEXIBLE WINGS : The small flexible gauge colored wings provides easy gripping and follows the contours of site allowing more secure fixation.

FLOW CONTROL HUB : The flow control hub has hydrophobic filter for allowing air to pain and don't allow blood to ooze out.



OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Quick flash back needle | Medical paper/Tyvek | Safinkhon-proxgenic/single use.

CERTIFICATION : *CE *ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
18G	1.3	45	90	100/1000
20G	1.1	32	60	100/1000
22G	0.9	25	36	100/1000
24G	0.7	19	23	100/1000

IV CANNULA (CATHETER) without wings and injection port



FEATURES :

NEEDLE : Silicized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material, Silicized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

FLEXIBLE INSERTION ANGLES : The flexible wings provides easy gripping and follows the contours of site allowing more secure fixation.

FLOW CONTROL HUB : The flow control hub has hydrophobic filter for allowing air to pain and don't allow blood to ooze out.



OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle | Packing colour coded M.K.P. | Safinkhon-proxgenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	100/1000
16G	1.8	45	200	100/1000
17G	1.5	45	125	100/1000
18G	1.3	45	90	100/1000
20G	1.1	32	60	100/1000
22G	0.9	25	36	100/1000
24G	0.7	19	23	100/1000
26G	0.6	19	15	100/1000

IV CANNULA (CATHETER) without wings and injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

FLOW CONTROL HUB : The flow control hub has hydrophobic filter for allowing air to pass and don't allow blood to ooze out.




OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Medical paper/Tyvek | Hydrophobic filter | Quick flash back needle | Packing colour coded M.K.P. | Safinkhon-progenetic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	125	50/500
18G	1.3	45	90	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500
26G	0.6	19	15	50/500

PEN TYPE IV CANNULA (CATHETER) without wings and injection port



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Multi facet, stainless steel back cut, needle help clinician to perform easy and painless venipuncture.

CATHETER : Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter.

FLOW CONTROL HUB : The flow control hub has hydrophobic filter for allowing air to pain and don't allow blood to ooze out.

CAP : Colour Coded cap for gauge identification.

OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Hydrophobic filter | Quick flash back needle


Packing colour coded M.K.P. | Safinkhon-proxgenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) (ml/min)	Box Qty. (Inner/Outer)
14G	2.1	45	270	50/500
16G	1.8	45	200	50/500
17G	1.5	45	125	50/500
18G	1.3	45	90	50/500
20G	1.1	32	60	50/500
22G	0.9	25	36	50/500
24G	0.7	19	23	50/500

PEN TYPE IV CANNULA (CATHETER) for veterinary use



FEATURES :

NEEDLE : Siliconized, Ultra Sharp, Stainless Steel, Back-Cut Japanese technology Needle to perform smooth and atraumatic venipuncture.

CATHETER : Available in FEP, PUR and PTFE material. Siliconized with proprietary technology ensuring smooth surface and minimal discomfort for both patient and clinician.

FLASHBACK CHAMBER : Large FB chamber allow quick visualization for successful venipuncture.

NEEDLE COVER : Transparent Needle cover to prevent accidental damage to needle and catheter. Different Needle Length Available.

OPTION AVAILABLE : FEP/PTFE/PUR Catheter | Hydrophobic filter | Medical paper/Tyvek Safinkhon-proxgenic/single use.

TECHNICAL SPECIFICATION :

CERTIFICATION :

*CE

*ISO 13485:2016

Size	Catheter OD (mm)	Catheter length (mm)	Flow Rate (Water) (ml/min)	Animal	Box Qty. (Inner/Outer)
14G	2.1	100	270	Horse, Cow, Buffalo	100/1000
16G	2.1	50	270	Calf, Goat	100/1000
18G	1.3	45	90	Dog	100/1000
18G	1.3	38	90	Large Dog	100/1000
20G	1.1	38	60	Dog	100/1000
20G	1.1	25	60	Dog, Cat	100/1000
22G	0.9	25	36	Cat	100/1000
24G	0.7	19	23	Puppy, Rabbit	100/1000

INJECTION STOPPER / HEPARIN CAP



FEATURES & BENEFITS :

- Universal 6% Taper as per ISO-80369-7, Compatible with any standard product.
- Latex / isoprene plug leakage filing for drawal of blood samples or injection intermittent medicine.
- Minimal Dead space.
- Individually packed in right blister.
- Sterile / Non-Pyrogenic / Single use.

OPTION AVAILABLE :


- In transparent body
- Latex / ISOprene

CERTIFICATION : CE ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Tube Length	Packing Inner/Outer
Yellow	Latex / ISOprene	250/1250
Transparent	Latex / ISOprene	250/1250

COMBI LUER LOCK



PRODUCT - COMBI LUER LOCK :


- Combi Luer Lock is used as a closure device for male & female Luer's fitting.
- The device is made as per ISO 80369-7

ADVANTAGES :

- It can be used for Luer-Slip and Luer-Lock connections.
- Sterile & Non-Pyrogenic.
- Available in Red, Blue & White Colour.
- Available in box of 100 Pcs.
- Combi Luer Lock can be used for Adult, Pediatric and Neonates.

CERTIFICATION : •CE • ISO 13485:2016

3-WAY STOPCOCK



FEATURES :

- Three way stopcock is suitable for use during pressure infusion and invasive blood pressure monitoring.
- Smooth 360° rotation or Disposilck 45° steps.
- Clear body for easy visual of fluid flow.
- Arrow mark on tap for indicating flow direction.
- Prevent vortex and reduces thrombus formation.
- Excellent pressure resistance upto 300kpa (45psi).
- Two (2) Female Luer, One (1) Male Luer for secure connection with accessories, as per ISO-80369-7.

OPTION AVAILABLE :

- Red and blue pegs for arterial and venous line identification.

CERTIFICATION : •CE • ISO 13485:2016

TECHNICAL SPECIFICATION :

Option			Packing Specification
Tap Colours	Material	Tap Rotation	inner
Red	Lipid resistant	Smooth 45° Click	50
White	Lipid resistant	Smooth 45° Click	outer
Blue	Lipid resistant	Smooth 45° Click	500

THREE-WAY STOPCOCK with extension tube



FEATURES :

- Three way stop cock at one end and Male Luer Connector at the another end. Universal 6% taper on Luer draw connection with a wide range of Medical Devices.
- 360 degree smooth rotation of tap.
- Arrow mark on tap for indicating flow direction.
- Minimum priming volume.

OPTION AVAILABLE :



DEHP free PVC tube | Lipid resistant | Tube length 10cm to 250cm / with 45° click rotation.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Ext.-int. Dia (mm)	Length (cm)	Packing Inner / Outer
10	3.4/2.8	10	50/100
25	3.4/2.8	25	50/100
50	3.4/2.8	50	50/200
75	3.4/2.8	75	30/200
100	3.4/2.8	100	30/200
150	3.4/2.8	150	30/200
200	3.4/2.8	200	30/200
250	3.4/2.8	250	30/200

SCALP VEIN SET / BUTTERFLY SET



FEATURES :



- Needle fit fixed into wings on an automatic assembly machine.
- Soft flexible wings for easy gripping and secure position on the skin cannulation.
- Made of DEHP Free PVC.
- Stainless steel needle sharp tip lancet cut needle with high lumen flow.
- Every needle tip is inspected by a high definition electric Vision Camera for its angles, burrs and tip blunt.
- Needle coated with specially formulated silicon solution for smooth insertion.
- PVC tube is soft, flexible & kink resistant.
- Colour coded wings for easy identification of gauge.
- Sterile, Non-Pyrogenic, Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Needle Length (mm)	Needle Diameter (mm)	Packing Inner / Outer
18G	19	1.20	100/1000
19G	19	1.10	100/1000
20G	19	0.90	100/1000
21G	19	0.80	100/1000
22G	19	0.70	100/1000
23G	19	0.60	100/1000

MULTI INFUSION EXTENSION TUBE



FEATURES :

- Soft flexible DEHP Free tube with 15 cm length tube & pinch clamp to replace the use of stop cock.
- Luer locks as per ISO-80369-7 for all Disposables.
- Kink-resistant quality tube.

OPTION AVAILABLE :

- Needle free Injection site/Microbore tube (1.1x2.1mm) Two & Three Connecting Extension Lines, Quad, Penta.

CERTIFICATION : • CE • ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Capacity	Packing Inner/ Outer
5cm - 100cm	2.8x2.8mm	100/1000

EXTENSION TUBE

(Low Pressure)



Rotating Male Luer Lock



Female Luer Lock

FEATURES :

- Used to extend the IV fluid pathway and for blood&blood derivatives,nutritive or medicinal fluids transfusion and or infusion.
- Fiber rate of low pressure extension line is 200ml/min.
- Male luer lock and female luer lock connector at ends to make connection with other equipment or devices all in compliance with ISO-80369-7 (6% luer taper).

OPTIOIO AVAILABLE :



DEHP free PVC tube | Lipid resistant | Tube length 10cm to 250cm | Minimum priming volume
Sterile,Non-pyrogenic,Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size (cm)	Ext.-int. Dia (mm)	Length (cm)	Packing Inner / Outer
10	3.4/2.8	10	50/500
25	3.4/2.8	25	50/500
50	3.4/2.8	50	50/300
75	3.4/2.8	75	30/300
100	3.4/2.8	100	30/300
150	3.4/2.8	150	30/300
200	3.4/2.8	200	30/300
250	3.4/2.8	250	30/300

HIGH PRESSURE (PE) Extension Line



FEATURES :

PE Extension Line (Straight) is suitable for Pressure Monitoring and for connection between syringe infusion pump to patient :

- It has small bore for High Pressure (Upto 580psi).
- Made of polyethylene.
- It is made of inert material so all types of commonly used infusion fluids can be used through this tube.
- Leak proof male luer lock and female luer lock made according ISO-80369-7 are provided at ends ensure, fitment to all standard medical equipment and Devices.

AVAILABLE IN FOLLOWING CONFIGURATION :

- Length : 100, 150, 200cm.
- Capacity: 1.0ml per 100cm.
- Tube Diameter : Internal 1.8mm & external 2.0mm
- Male luer at one end Female luer at other end.
- Male luer & Female luer complies ISO-8369-7.
- Packed in peel open pouch or soft blister pack.
- Sterile, Non-Pyogenic, Single use.

OPTION AVAILABLE :

PE Extension Line (Coiled)

- Coiled in special design to give comfortable movement to patients.
- Coiled Extension tube work as spring and expands & contract according to the patient movement.
- Minimum priming volume | Sterile / Non Pyogenic | Single use

CERTIFICATION : •CE •ISO 13485:2016

**PRESSURE MONITORING
(PM) Extension Line**



Plain H.P. Tube



Rotating Male Luer Lock



Female Luer Lock

FEATURES :

SMALL BORE HIGH PRESSURE EXTENSION LINE

IT IS SUITABLE FOR PRESSURE MONITORING

- It has small bore for High Pressure (Upto 140psi).
- Made of P.V.C.
- Leak proof male luer lock and female luer lock made according ISO-80369-7 are provided at ends ensure, fitment to all standard medical Equipment and Devices.


AVAILABLE IN FOLLOWING CONFIGURATION :

- Length : 50, 100, 150, 200cm
- Capacity: 1.0ml per 100cm
- Tube Diameter : Internal 1.0mm & external 2.0mm
- Male luer at one end Female luer at other end.
- Colour coded sticker provided for Identification of connection.
- Male luer & Female luer complies ISO-80369-7.
- Packed in peel open pouch or soft blister pack.
- Safinkhon-Pyrogenic/single use.

OPTION AVAILABLE :

DEHP Free P.V.C. tube | Lipid resistant | Tube length 10cm to 250cm | Minimum priming volume
| Sterile / Non Pyrogenic / Single use

CERTIFICATION : *CE *ISO 13485:2016



Universally compatible, ergonomically designed hemodialysis blood line to establish an extra corporeal circulation channel for blood dialysis therapy.

BASIC PRODUCTS FEATURES :

- High and reliable Disposafe's High Quality, ensuring patient safety :
- Certified quality systems for development and production.
- Perfect compatibility to machine interfaces
- Assuring highest safety and performance with most machines.
- Pure tube with high elasticity P.V.C. Material for long term use.
- Exclusive use of plasticizers with high hemo-compatibility and negligible cytotoxic reactions.
- Highly colour coded components, No additional clamp required.
- ETO sterilized with unique pre-conditioning and degassing process resulting in minimal residual ETO content.

Soft, Kink Resistant, P.V.C. Tubing :

- Purely segment 8.8mm/6.5mm
- Priming Volume 150 ml
- DEHP Free plasticizer
- Well documented safety characteristics

Large Shield Injection Ports :


- Latex free septum injection site allow easy injection access.
- Colour Coded
- Large finger protection shield for safe injection access

Ergonomic Patient Connector :

- Optimal grip on rotational part allow ease of use
- Easily ensure secure connection
- Easy to remove protective caps

CERTIFICATION : *CE *ISO 13485:2016

AV FISTULA NEEDLES



PRODUCT AV. FISTULA NEEDLES

AV. Fistula Needle is used in Dialysis system to connect blood line tube with blood vessels.

FEATURES :

- Ultra thin wall tubes cut needle.
- Disposafe standard AVF Needle are designed to minimise vessel trauma and optimize blood flow.
- Safe handling due to rotatable / fixed wings and easy gripping.
- High laminar blood flow and reduction of haemodialysis due to siliconised lumen.
- Latex free, BPA-Free, DEHP Free.

Option Available :


- Available in single pack or twin pack
- Connector 2 clamp available in White / Red / Blue Colour
- Backeye needle / without back eye needle.
- Fixed wings / Rotating wings.

CERTIFICATION : *CE *ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Needle Length (mm)	Needle Dia Meter (mm)	Packing Inner / Outer
15G	1.85	2.502	300
16G	1.65	2.502	250
17G	1.47	2.502	200

IV INFUSION SET



Universal Design IV administration sets with/without air vent for gravity infusions and pressure infusion
(Pressure Resistant up to 2 bar)

BASIC PRODUCTS FEATURES:

User - Friendly Design with Flexible Drip Chamber

- Standard piercing spike (vented, universal).
- Easy penetration of solution container and preventing contamination.
- 15 micron (μm) filter provides high flow rate and protection against large particles.
- Transparent drip chamber allows for quick & easy visualisation of drip rate.

Soft, Kink Resistant, Clear P.V.C. Tubing

- Standard lumen ID 3mm & OD 4.1mm.
- Standard length 150cm with option of 180cm & bigger Length.
- DEHP Free plasticizer.

Y Connector Injection Site with option of Needle Free Injection Site.

- Well documented safety characteristics
- Latex free injection site allows easy injection access.
- Also available with needle free injection site.

Luer Lock Turn-Tight Fitting

- Avoid unintended detachment.

CERTIFICATION : *CE *ISO 13485:2016 *USFDA 510K

Options			
Flow Controller	Air Vent	Injection Site	Filter
			
Roller Clamp	Vented	"Y" Connector	15 µm Particle Filter
			
Flow Regulator	Non Vented	Latex Bulb	15 µm Particle Filter with 0.2µm Inline IV Filter
End Connection			
			
Male Luer with Hypodermic Needle	Male Luer Lock	Needle Free	

GENERAL PRODUCT SPECIFICATION :

- Standard lumen ID 3mm & OD 4.1mm
- DEHP Free plasticizer
- Max Flow Rate – 20ml/min
- Standard drop formation, 20 Drops = 1ml
- Well documented safety characteristics
- Shelf life of 5 years from manufacturing
- Regular length 150cm, subject to customer requirements.
- Available with both EO/Gamma Sterilization, Depending on customer requirements.
- Also available with 60 drops = 1ml



STORE GUIDELINES :

- Store at room temperature in dry place, away from direct sunlight.

CERTIFICATION : *CE *ISO 13485:2016 *USFDA 510K

Packing Specification		
Pouch	Outer Carton	20 Ft. Container
1	250	74,265
1	250	40 Ft. Container
1	250	170,780

BLOOD TRANSFUSION SET



FEATURES :

- For intra vascular, gravity controlled transfusion of blood or blood elements.
- Soft, flexible and transparent drip chamber.
- Soft and kink resistant DEHP free P.V.C. tube.
- For approximately 20 drops/ml.
- With 200 micron blood filter.

OPTION AVAILABLE :




- With or without Needle.
- Luer Lock or Luer slip.
- With airvent spike/without airvent spike.
- Latex Bulb for Intermittent medication.
- Single / Double Drip chamber.
- Packed in pouch or blister.

CERTIFICATION : *CE *ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Capacity	Packing Inner/Outer
Vented	20 Drops/ml	25/500
Non-Vented	20 Drops/ml	25/500

MEASURED VOLUME SET BURETTE SET



FEATURES :

- Flexible, Transparent & soft Calibrated cylindrical Measured Volume Chamber with Injection port allows medication to be injected into burette chamber for extra medication.
- Strong, Sharp and air vented spike is made of sturdy medical grade ABS material for easy insertion in I.V. Container.
- Shut off floater to prevent air embolism and it help to indicate fluid level. soft flexible drip chamber ised with 15µm fluid filter and micro dripper for delivery of approximately 60 drops/ml.
- Soft and kink resistant tube with latex for easy flushing.

OPTION AVAILABLE :


- Hanger
- Luer Lock or Luer Slip
- Needle Free "Y" Injection site
- Hypodermic Needle : 23Gx1"
- Airtent Spike/Non Airtent Spike
- Burette Volume of 150ml/110ml/100ml
- Tube Length from 150cm to 200cm
- "Y" Injection port
- Automatic shut off valve
- DEHP free

TECHNICAL SPECIFICATION :

CERTIFICATION : *CE *ISO 13485:2016

Size	Capacity	Packing Inner/Outer
100ml	Dispo M.V. - 100ml	25/200
110ml	Dispo M.V. - 110ml	25/200
150ml	Dispo M.V. - 150ml	25/200

FLOW REGULATOR SET



I.V. Flow Regulator Is Under Used For Regulator of Fluid Delivery in I.V. Administration

FEATURES :

- The material of flow regulator set is suitable for the use with of the drugs.
- DEHP Free tube at ID 3.0mm & OD 4.1mm.
- Designed to control flow rate from 5ml/hr -250ml/hr manually.
- The flow regulator has rise for easy griping and smooth rotation.
- The product can be supplied with I.V. Set for pediatric use.

SPECIAL QUALITY FEATURES :

- Heat resistant - Macroneutral - Low standard deviation, high precision.
- Easy and smooth regulation.
- The material of flow regulator set is suitable for the use most of the drugs.
- DEHP Free tube at ID 2.8mm & OD 3.8mm.

OPTION AVAILABLE :

DEHP Free tube | Needle free "Y" injection site | Male luer lock | Latex free "Y" injection site | Customized tube length available | Rotating Male Luer Lock | Sterile / Non-Pyrogenic / Single use

CERTIFICATION : *CE *ISO 13485:2016



FEATURES :

- It is used to cover and protect catheter site and to secure devices on top of the skin.
- It saves nursing time as the fixation of I.V. Cannula is very fast and efficient with Fixator.
- Hypo-allergic can be used on patient with fragile skin also.
- The use of cannula Fixator result in less pain, easy and excellent grip over the I.V. Cannula.
- It stretches with body movements.
- Available in cotton and PE.

TAPES AND DRESSING :

- Made of porous and breathable packing material. Ensure the skin can breath normally.
- Uniformly coated with hypo-allergic polyacrylate adhesive.
- It is latex free - The sensitive adhesive activate better when it come contact with warm human skin.
- Highly resistant to water & Vapor. Adhesive remains in excellent condition.

CERTIFICATION : CE ISO 13485:2016



SURGERY

ITEM CODE : 9701

FITMENT -3




ITEM CODE : 9702

FITMENT -4



FEATURES :

- Carbon Steel (as per BS 2982:1982) Super sharp Blades.
- Stainless Steel (Grade F as per ISO 7153-1:1980)
- Complies the fitment requirement of ISO 7740:1985
- Packed peel Open Al foil pouch with a VCI protective inner line.
- Sterile life of 5 Years.
- Shelf life of 5 Years.
- CE, USFDA



FEATURES :

- Stikon Cutter's are ideal choice of blade for removing all.
- Suture stitches without creating any damage to freshly healed wound closure.
- Stikon Cutter are produced in two different sizes Long, Standard/Short and Mini in CS and SS.
- Stikon Cutter are designed with special Blunt Tip ensuring no damages to freshly healed wounds.

CERTIFICATION : CE ISO 13485:2016

DISPOSABLES SCALPELS



FEATURES :

- Stainless Steel Surgical Blade is mounted on ABS plastic handle Protected with Guard.
- Disposable Scalpel handle are ergonomically designed which gives, better grip, ease uses and better handling.
- Handle is provided with ridged finger grip for better grip.
- Size of the blade is visually marked on the handle.
- Individually packed in a Soft Blister.
- Sterile Gamma Radiation EO.
- Shelf life of 5 years.
- We also offer bulk pack Non-Sterile for Kits-Pack.

CERTIFICATION : CE ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	
Fitment -3	10, 11, 12, 15, 17, Mini Stitch Cutter
Fitment -4	18, 19, 20, 21, 22, 23, 24, 25

RETRACTABLE SAFETY SCALPELS



Disposable Retractable Safety Scalpel is ergonomically design for smooth handling & safe disposal of scalpel post surgery to avoid any sharp edge injury. Disposable Safety Scalpel get permanently locked by moving slot to lock position. Safety Scalpel is available in all sizes with color coded button on handle for easy identification for sizes.

FEATURES :


- Disposable Retractable Safety Scalpel made of ABS
- Plastic handle fitted with SS blades, allow Surgeons to have full view of.
- Incision sight while performing Surgery as Blade get fully exposed under open position.
- Easy and smooth movement allow Surgeons to use with ease in conducting procedure.
- Available in both fitment handle size scope 3, 4 and all the sizes of Blades in SS.

CERTIFICATION : • CE • ISO 13485:2016 • USFDA 510K

TECHNICAL SPECIFICATION :

Other blades shapes available on request	
10	22
10A	23
11	24
15	25
20	Stitch Cutter
21	Stitch Cutter

ITEM CODE : 9625




SIZE AVAILABLE : 1.0MM, 1.5MM, 2.0MM, 2.5MM, 3.0MM, 3.5MM, 4.0MM, 5.0MM, 6.0MM, 7.0MM, 8.0MM

FEATURES :

BIOPSY PUNCH

- Punches made of High Quality Steel which are super grounded for super sharp edges for sharp cut.
- Smooth large ribbed handle allow secure grip and large round head allows thumb control while performing procedure. Ready to use Sterile Blister Pack.
- Disposable sharp punches perform very effectively while using on skin without any skin trauma.
- Sizes from 1mm to large 8mm given huge comfort of size selection to use.
- Super sharp grinding allow smooth surface penetration with very small force.
- Also long punch length allow deep penetration.

ITEM CODE : 9626



FEATURES :

DERMAL - CURETTE

- Also long punch length allow deep penetration.
- Disposable Curette are made of stainless sharp cutting edge allow proper curetting.
- Dermal Cuarette is essential device in Dermatology, Gynaecology, Plastic Surgery for Curettage in Soft Warts tissue & Removal of small Gaurets.

SIZE AVAILABLE :

2.0, 3.0, 4.0, 5.0, 7.0

CERTIFICATION : •CE •ISO 13485:2016

CLOSED WOUND SUCTION UNIT with trocar needle

ITEM CODE : 9501



Safevac-1 (Closed wound suction unit)



Added functionality of C-Clamp



Nozzle



Connector



Safevac-2 (Closed wound suction unit with no return tap)

CLOSED WOUND SUCTION UNIT



FEATURES:



- Radio opaque drainage catheter has multiple, very smooth perforations for optimum drainage, and of the perforated catheter is tip formed to minimize the trauma to patient.
- Bellows container is made of flexible plastics so that one person can easily operate to activate the suction. Connecting tube is kink resistant. DPHP free with extra strength to withstand the suction.
- Bellows container is graduated marked for expiration of 500ml/900ml fluid. Curved and siliconized stone needle is made of stainless steel for smooth sliding of the needle through tissue.
- Available in different sizes with matching size sterile needle to meet moderate to heavy drainage needs, also available in mini model for small volumes after surgery (50 ml) with 6 FG & 8 FG drainage catheter & stone needle. Hanger is provided for easy handling of set. Sterile / non-pyrogenic / single use.

TECHNICAL SPECIFICATION:

CERTIFICATION: CE ISO 13485:2016

Catheter Size	Colour	Box Qty. (Inner / Outer)
6FG	Sea Green	1/40
8FG	Blue	1/40
10FG	Black	1/40
12FG	White	1/40
14FG	Green	1/40
16FG	Orange	1/40
18FG	Red	1/40

YANKAUER SUCTION SET



FEATURES:



- Yankauer suction set is used the removal secretion, blood & body fluids during surgery.
- Large lumen in handle provide rapid aspiration & resist clogging.
- Available with universal connector to connect with suction pump line at proximal end and distal end to be connected with Yankauer Handle.
- Rigid transparent / translucent suction handle with Crown / Plain tip with or without thumb control.
- Soft & kink resistance heavy wall long lumen PVC tubing with stands the suction pressure.
- Sterile / Non-Pyrogenic / Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : CE ISO 13485:2016

Tube Length (cm)	ID (mm)	OD (mm)	Packing Inner / Outer Unit
150	6.0	8.0	10/60
200	6.0	8.0	10/60
250	6.0	8.0	10/60
350	7.0	10.0	10/60
450	7.0	10.0	10/60
550	7.0	11.0	10/60

SUCTION CATHETER



OPTION AVAILABLE :

- Universal type
- Thumb control
- DEHP free
- Sterilization-pyrogenic/single use.

FEATURES :

- Suction Catheter is a long flexible tube which is used in intensive care remove secretion from the mouth and airways of critically patients. This Catheter as a collection container and device that generate suction.
- Manufactured from Non-toxic, DEHP Free P.V.C. tube.
- Universal colour coded connector for size identification and secure connection with suction connector.
- Distal end open with lateral eye to avoids trauma during suction of endotracheal secretion.
- Frosted/etched or clear tube along with atraumatic eyes for smooth intubation.
- Graduated marked for correct position of catheter.
- Length 50cm
- Available size : 8FG to 26FG
- Straight peel open pack.



TECHNICAL SPECIFICATION :

CERTIFICATION : CE ISO 13485:2016

Catheter Size	Colour	Box Qty. (Inner / Outer)
8FG	Blue	25/250
10FG	Black	25/250
12FG	White	25/250
14FG	Green	25/250
16FG	Orange	25/250
18FG	Red	25/250
26FG	Yellow	25/250

UROLOGY





FEATURES:

- Soft, user friendly design
- Manufactured from latex rubber coated with silicone to eliminate the risk of encrustation.
- Curved distal end provided with burr eyes to prevent risk of injury.
- Hard plastic valve ensures inflation / deflation of balloon
- Colour coded for size identification.
- Soft rubber for best possible patient comfort blockage - free trauma - less de - catheterization.


AVAILABLE IN 2 WAY, 3 WAY

CERTIFICATION : CE ISO 13485:2016

Two Way		Three Way	
Size in FR	Balloon Capacity	Size in FR	Balloon Capacity
6	1.5cc-5cc	16, 18, 20, 22, 24 & 26	3cc-50cc
8-10	5cc-5cc	14	15cc-30cc
12	5cc-15cc		
14	15cc-30cc		
16-26	30cc-50cc		

Size										
FR	6	10	12	14	16	18	20	22	24	26
Colour Code	Black	Grey	White	Green	Orange	Red	Yellow	Violet	Blue	Pink

NELATON CATHETER



FEATURES:


- DEHP free P.V.C. tube is used.
- Nelaton Catheter surface is clear / frosted smooth.
- The distal end is conned for atraumatic catheterization.
- Two lateral eyes allow for efficient drainage.
- Universal, Gauge colour coded funnel shaped connector provide for easy connection to urine bag.
- The complete length of the catheter is 40cm and effective length in 30cm
- Sterile / Non - Pyrogenic / Single use.

TECHNICAL SPECIFICATION:

CERTIFICATION : CE ISO 13485:2016

Size	Colour	Box Qty. (Inner / Outer) Unit
6FG	Light Green	50PC/500
8FG	Blue	50PC/500
10FG	Black	50PC/500
12FG	White	50PC/500
14FG	Green	25/250
16FG	Orange	25/250
18FG	Red	25/250

URIMETER



FEATURES :

- The urimeter is directly attached to two litre capacity urine bag with over flow facility.
- The completely closed circuit, eliminates the risk of contamination
- The universal tapered connector facilitate aseptic catheter and urine bag connection.
- Made of medical grade Non - Toxic, Bio Compatible P.V.C. sheet.
- Two layer laminated P.V.C. sheet to avoid any leakage / seepage.
- Designed outlet connector to make closed connection with Foley.
- Non return valve & drainage outlet Top & Bottom.
- Provided hanging & carrying systems.
- Printed with easy read scale and other necessary subjects.
- Tube length approx 100cm long tube.
- Capacity 2000ml.

OPTION AVAILABLE :

- with T-outlet valve
 - with bottom port
- CERTIFICATION :** CE ISO 13485:2016 USFDA 510K

TECHNICAL SPECIFICATION :

Size	Capacity	Packing Inner/Outer
Urine Bag-Std.	2000ml	25/250

URINE COLLECTION BAG



FEATURES :

- Made of Medical grade Non-toxic, bio-compatible P.V.C. sheet.
- Two layered laminated P.V.C. sheet to avoid any leakage / seepage.
- Designed outlet connector to make closed connection with Foley's Catheter.
- Non return valve & drainage outlet Top & Bottom.
- Provided hanging & carrying systems.
- Printed with easily readable scale and other necessary subjects.
- Tube length Approx 100cm long tube.
- Capacity 2000 ml.

OPTION AVAILABLE :



- With T-outlet valve
- With bottom port

CERTIFICATION : CE ISO 13485:2016 USFDA 510K

TECHNICAL SPECIFICATION :

Size	Capacity	Packing Inner/Outer
Urine Bag-Std.	1500/2000ml	25/50
Urine Bag-Pre.	1500/2000ml	25/50

HEMODIALYSIS CATHETERS KIT





HEMODIALYSIS CATHETERS KIT :

- Colour coded lines for easy identification of artery & venous infusion lines.
- Available with single, double & triple lumen extensions for neonate & Adults.
- Made of Polyurethane material which provides strength during insertion.
- Radio-opaque catheter with clear, definite marking to ensure correct placement of catheter under X-ray.
- Soft tip designed to resist positional occlusion and reduces trauma.
- Curved extensions for jugular vein approaches to make the catheter more comfortable for the patient.

KIT CONTENTS :

- Indwelling catheter
- Y-Introducer needle with valve
- J-tie wing guide wire
- Dilatere 2 no's
- Luer lock syringe
- Scalpel

CENTRAL VENOUS CATHETERS



CENTRAL VENOUS CATHETERS :

- Complete range of Central Venous Catheters, single, double triple & quadruple lumen, meeting the needs of intensive care and emergency medication.
- The multi lumen catheters prevent mixing of incompatible drugs thus minimizing the complications.

FEATURES :

- Central Venous Catheter made of specially formulated and biocompatible Polyurethane material provides strength during insertion and long term venous access of the Fluids.
- Medical Grade PUR material minimize risk of irritation and softens at body temperature to conform to the body tissues and reduces the risk of vascular trauma.
- Specially designed soft & beveled tip for smooth & easy insertion of catheter.
- Color Coded for easy identification of arterial and venous line.
- Radio-opaque catheter with clear, definite marking to ensure correct placement of catheter.
- Sterile individually packed in medical grade pouches.

CENTRAL VENOUS ACCESS CATHETERS KIT CONTENTS :

- Indwelling catheter
- Y-Introducer needle with valve
- kink resistant J-tip nitinol guide wire
- Dilator
- Luer lock syringe
- Lipid resistant three way stop cock
- Scalpel
- Catheter holder
- Catheter holder clamp

RESPIRATORY



NEBULIZER



Safe-Neb



Handy



Puppy



Panda



Mini

FEATURES :

- Compressor based Nebulizer Machine which uses compressed air to deliver medications in the form of aerosols a fine mist that can be inhaled.
- Safe-Neb allows the medication to go directly to patient always and large. The medication can be given over a long period of time.
- Safe-Neb makes inhaling medication easier for patient who are having serious difficulty in breathing or who have trouble using an inhaler which requires exact timing and control of each breathing.
 - a) Compressor based d) Efficient respirable therapy
 - b) Compact and portable e) Can be operated continuously 20 min-on and after 40 min off
 - c) Use by all ages

NEBULIZER ASSEMBLY ACCESSORIES :



1. Tubing
2. Nebulizer Insert
3. Nebulizer Cup
4. Universal mask
5. Mouth Piece
6. Extra Filters

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016 •USFDA 510K

Maximum Compressor Pressure	2.5 ~3.0 bar
Nebulization Rate	0.3 ml/min.
Nebulizer Cup Capacity	6 ml
Particle Size (mmdd)	0.5 μ m to 5 μ m
Noise level	65dba
Dimension (Compressor only)	10.7"x6.6"x4.5"
Weight (Compressor Only)	1.83 kg (4.0 pond)
Electrical Requirement	12v/60hz or 220v/50hz

NEBULIZER FACE MASK



Nebulizer turns medication into a mist so that it can be breathed directly inhaling through face mask.

FEATURES BENEFITS :

- Swivel Connector for patient comfort.
- 200cm long start lumen kink resistant tube.
- Non Sterile / Sterile mask is made in class 10k clean room.
- Nebulizer mask made from DEHP FREE less P.V.C. Material
- Nebulizer mask is designed in such a way that face mask fits comfortably over face.
- Elastic strap provided to position the mask properly.
- Soft connector of funnel shape provided for easy connection to oxygen source.
- Soft connector of funnel shape provided for easy connection to oxygen source.

CERTIFICATION : •CE •ISO 13485:2016 •USFDA 510K

TECHNICAL SPECIFICATION :

Size	Tube Length	Packing Inner/Outer
Infant	200cm	120
Pediatric	200cm	120
Medium	200cm	120
Large	200cm	120


OXYGEN FACE MASK




Oxygen mask with more holes



Mask connector



Wing type tube connector



Tube

Oxygen mask has been designed to deliver oxygen to the patient during surgeries or critical care.

FEATURES BENEFITS :




- Swivel Connector for patient comfort.
- 200cm long star lumen kink resistant tube.
- Non Sterile / Sterile mask is made in class 10k clean room.
- Oxygen mask made form DEHP FREE non P.V.C. Material
- Oxygen mask is designed in such a way that face mask fits comfortably over face.
- Elastic strap provided to position the mask properly.
- Soft connector of funnel shape provided for easy connection to oxygen source.

CERTIFICATION : •CE •ISO 13485:2016 •USFDA 510K

TECHNICAL SPECIFICATION :

Size	Tube Length	Packing Inner/Outer
Infant	200cm	120
Pediatric	200cm	120
Medium	200cm	120
Large	200cm	120

TWIN BORE OXYGEN SET



FEATURES BENEFITS :

- Used for easy & efficient administration of oxygen.
- Star lumen tube ensure the supply of oxygen even if tube is accidentally kinked.
- Soft twin prong nasal tip to ensure equal volume of oxygen to both air passages.
- SRI and kink resistant P.V.C. Tube.
- Soft funnel shape connector facilitates easy connection to the oxygen source.
- Available with DEHP Free tube.
- Tube Length 200cm.

OPTION AVAILABLE :

- Infant
- Pediatric
- Medium
- Large

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Tube Length	Packing Inner/Outer
Infant	200cm	50/500
Pediatric	200cm	50/500
Medium	200cm	50/500
Large	200cm	50/500

LUNG EXERCISER



FEATURES BENEFITS :


- Three flow rate 600 ml/sec, 900 ml/sec, and 1200 ml/sec are identified by three different colour balls.
- E.V.A. connecting tube is very flexible for easy maneuvering.
- P.P. flash free rounded surface mouth piece is for user comfort.
- Lung exerciser is to be used post covid and cardiac surgery on recommendation of surgeon / paramedic staff.
- By using lung exerciser can help to open your airway and prevent fluid or mucus from accumulating in you lungs.
- Component body made of polycarbonate for better strengthen & transparency.
- Supplied Non Sterile.
- To be cleaned by mild detergent and use ter let to water so wiper at the detergent.

CERTIFICATION : •CE •ISO 13485:2016

MISCELLANEOUS




These are more products which can be used for various medical applications and are very helpful in medical treatments. The product which comes under this category are various connectors, injectables etc. DHP Meditech have the capability to make our own product design and develop many kind of medical device product on special demand also.



LATEX SURGICAL & EXAM GLOVES



Surgical Gloves
Powder / Powder Free



Exam Gloves
Latex Powder / Powder Free
Nitrile / Latex

LATEX SURGICAL GLOVES

FEATURES :

SURGICAL GLOVES

- Sterile Surgical Gloves are made of Natural Latex / Rubber
- Powder / Powder Free Available as per buyers requirement.
- Sterile / Non-Pyrogenic / Single use.

OPTION AVAILABLE :

- Tear open pouch / peel open pouch

SIZE :

- 6, 6.5, 7, 7.5, 8 & 8.5

EXAMINATION GLOVES

- Non Sterile Examination gloves are made from Latex / Nitrile with a rolled cuff.
- It provides exceptional sense of touch and sure grip.
- These are used for nursing and during medical examinations of patients in hospital etc.
- Powder / Powder Free available as per buyers requirements.
- Exam Gloves Available in Box of 100 Packs.

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size Surgical Gloves	Ext. Int. Dia Examination Gloves & Exam Gloves	Packing Examination Gloves Box / Outer Lot	Packing Surgical Gloves Box / Outer Lot
6	Extra Small	100/1000	50/500
6.5	Small	100/1000	50/500
7	Medium	100/1000	50/500
7.5	Large	100/1000	50/500
8	Extra Small	100/1000	50/500
8.5	Extra Small	100/1000	50/500

HYPODERMIC NEEDLE



FEATURES :

- It is used to inject medication or withdrawal of blood for patient care or treatment.
- It is used for Intradermal Injection, Subcutaneous Injection, Intramuscular Injection, Intravenous Injection.
- The Disposable Hypodermic Needle is assembled using latest assembly machine with high definition electronic vision Camera inspection for any tip damage.
- The Sharp lancet point tip.
- Needle available in all gauges with regular bevel.
- Siliconized with silicone solution specially formulated by experts in the field.
- Needle available in all gauges with regular bevel.
- The Needle hub is colour coded with standard 6% taper and lugs to enable them to fit in any type of syringe tip.
- The needle hub is made with standard 6% taper and lugs.
- Hub is color coded for instant identification.
- Packed in Soft Blister and Bulk Pack Non Sterile.
- Sterile / Non-Pyrogenic / Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size	Needle Length (mm)	Needle Dia Meter (mm)	Packing Inner / Outer
18G	38 mm	1.20 mm	100/1000
19G	38 mm	1.10 mm	100/1000
20G	38 mm	0.91 mm	100/1000
21G	38 mm	0.81 mm	100/1000
22G	30 mm	0.71 mm	100/1000
23G	25 mm	0.63 mm	100/1000
24G	25 mm	0.56 mm	100/1000
25G	16 mm	0.51 mm	100/1000
26G	16 mm	0.45 mm	100/1000

UMBILICAL CORD CLAMP



FEATURES :

- Designed for clamping Umbilical Cord immediately after birth of baby.
- Clamp helps stop bleeding from the blood vessels of the baby the umbilical cord.
- Provided with Non-Responsible locks to avoid any accidental opening of clamp.
- Provided with secure and leak proof jaws to ensure proper clamping.

OPTION AVAILABLE :


- Blue
- White
- Green

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Packing Inner / Outer
Blue	100/1000
White	100/1000
Green	100/1000

RYLE'S TUBE / NASOGASTRIC TUBE



FEATURES :

- Nasogastric Feeding tube for introduction and aspiration of intestinal secretion.
- It has four lateral eyes to avoid blockage and easy flushing help to release any formula stuck to the inside of the tube.
- The distal end is closed by a special process to avoid any point and have marking for accurate placement.
- Soft, flexible and kink resistant PVC tube radio opaque line marked at 30, 60 & 90 cm from the tip for accurate placement.
- Funnel end connector in colour coded for easy identification of size.
- Length 105 cm.
- DEHP free tube.

OPTION AVAILABLE :



- With Luer connector / DEHP free tube
- DEHP free tube
- Without Luer connector
- Sterile / Non-Pyrogenic / Single use

CERTIFICATION : • CE • ISO 13485:2016

TECHNICAL SPECIFICATION :

Size	Colour	Packing (Inner / Outer)
6FG	Light Green	25/250
8FG	Light Blue	25/250
10FG	Black	25/250
12FG	White	25/250
14FG	Green	25/250
16FG	Orange	25/250
18FG	Red	25/250

INFANT FEEDING TUBE



Feeding Connector

FEATURES :

- For neonatal and paediatric nutritional feeding.
- DEHP Free tube with graduation mark after every cm.
- Atraumatic, soft rounded, closed tip with lateral eyes for efficient aspiration & administration.
- X-Ray opaque line provided through out the length of tube.
- Tube is marked at 20cm away from the distal tip.
- Closed distal end with two lateral eye.

OPTION AVAILABLE :

- Tube length 40cm, 50cm & 100cm
- Sterile / Non-Pyrogenic / Single use.

TECHNICAL SPECIFICATION :


CERTIFICATION :

•CE


•ISO 13485:2016

Size / Colour	Packing Inner / Outer
4FG	50/500
5FG	50/500
6FG	50/500
8FG	50/500
10FG	50/500

MUCUS EXTRACTOR



Thumb Control



Funnel



FEATURES :

- Mucus extractor is used for aspiration of secretion from oropharynx in infants to ensure free respiration.
- Funnel shaped adapter at the proximal end of suction tube to ensure easy & secured connection.
- Graduated & transparent chamber allows correct measurement & visual checking of aspirate.
- Soft, flexible & kink resistant PVC tubing.
- Spare cap is provided for safe storage of specimen for analytical testing & safe disposal.

OPTION AVAILABLE :



- Capacity: 25 mm
- With thumb control suction catheter
- Suction Tube length available : 40 & 50cm.
- Sterile/Non-Pyrogenic/Single use
- Suction Tube sizes: From 6 FG to 14 FG

CERTIFICATION : • CE • ISO 13485:2016

TECHNICAL SPECIFICATION :

Size / Colour	Packing Inner / Outer
6FG	20/250
8FG	20/250
10FG	20/250
12FG	20/250
14FG	20/250

ENDOTRACHEL TUBE cuffed / plain



FEATURES :



- Used to protect airway under general anesthesia congenital malformation and disease. of the upper airway mechanical ventilation permanent resuscitation and various form of respiratory disorder.
- Made from non-toxic, non-irritant medical grade clear PVC.
- Kink resistant, thin-walled, thermo-sensitive tube, softens on body temperature.
- Smooth inside / outside surface for ease in intubation, extubation and suctioning.
- Smooth polished bevel and murphy eye and tapered balloon end for atraumatic intubation and extubation.
- Kink resistant inflation tube to manage precise cavity during cuff inflation and deflation.
- Radio opaque line and markings provided to facilitate identification of tube position.
- Universal 15mm connector at proximal end.
- E.T.O. Sterile and Pyrogen Free for single patient use only.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Size Plain (mm)	Size Cuffed (mm)	Packing (Inner / Outer)
2.0	4.0	25/250
2.5	4.5	25/250
3.0	5.0	25/250
3.5	5.5	25/250
4.0	6.0	25/250
4.5	6.5	25/250
5.0	7.0	25/250
5.5	7.5	25/250
-	8.0	25/250
-	8.5	25/250
-	9.0	25/250
-	9.5	25/250
-	10.0	25/250

KARMAN CANNULA



FEATURES :

- Made from soft, flexible non toxic plastic designed for aseptic medical Termination of Pregnancy.
- Universal adapter from connecting to suction apparatus.
- Distal end is closed with a sealed process.
- Two large lateral eyes are provided at distal end to facilitate the curette and trauma free insertion.
- With universal connector for connecting to MTP syringe or suction apparatus.
- Packed in a soft, sealed pouch.
- Sterile, Non-Pyrogenic, Single use.

CERTIFICATION : •CE •ISO 13485:2016

TECHNICAL SPECIFICATION :

Size / Colour	Packing Inner / Outer
6FG	25/250
6FG	25/250
7FG	25/250
8FG	25/250
10FG	25/250
12FG	25/250

SPINAL NEEDLE



FEATURES :

- Suitable for Spinal anaesthesia, High flow rate enables faster *cerebrospinal* fluid flash back.
- Quincke point for smoother penetration.
- Color coded hub for easy identification.
- Sterilization by Ethylene Oxide.

CERTIFICATION : CE ISO 13485:2016

TECHNICAL SPECIFICATION :

Gauge (mm)	Color Code	Packing (Inner / Outer)
16G (1.6mm)	White	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
18G (1.2mm)	Pink	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
19G (1.1mm)	Cream	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
20G (0.9mm)	Yellow	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
21G (0.8mm)	Deep Green	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
22G (0.7mm)	Black	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
23G (0.6mm)	Deep Blue	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
25G (0.5mm)	Orange	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
26G (0.45 mm)	Brown	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)
27G (0.40mm)	Grey	1-1/2" (38mm) or 3" (76mm) or 3-1/2" (90mm)

Our Services



Manufacturing of Surgical Instruments

Precision-crafted instruments made from high-grade materials to ensure durability and performance



Global Export Services

Reliable and timely delivery to international markets with proper documentation and compliance



OEM & Custom Manufacturing

Customized solutions based on client specifications, branding, and design requirements



Quality Assurance & Inspection

Strict quality control processes to meet international standards and ensure product reliability



Bulk Supply & Distribution

Efficient handling of large-volume orders with consistent quality and packaging



After-Sales Support

Responsive customer service to maintain long-term partnerships and client satisfaction



Why Choose DHP Meditech?

At DHP Meditech, we combine precision engineering with uncompromising quality to deliver surgical instruments you can trust.



Superior Quality Materials

Crafted from high-grade stainless steel for durability and corrosion resistance



Precision & Performance

Engineered for accuracy, reliability, and consistent surgical outcomes



Strict Quality Control

Manufactured in compliance with international standards



Hygiene & Sterilization

Designed for easy cleaning, repeated sterilization, and long-term use



Global Export Expertise

Reliable supply chain with timely worldwide delivery



Customer-Centric Approach

Flexible, responsive, and committed to long-term partnerships

We're Here for You

Address:

64, D.K. INDUSTRIAL ESTATE,
AMBAVPURA ROAD,
CHHATRAL GIDC,
TA - KALOL, DIST- GANDHINAGAR
GUJARAT,INDIA



P : +919727771063/+918849624903

E : dhpmeditech@gmail.com

W : www.dhpmeditech.com